

200000339

# THE UNITED STATES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME?

Pioneer Hi-Bred International, Inc.

THERE HAS BEEN PRESENTED TO THE

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE UGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT, COMMON

'26R38'

In Testimony Therest, I have hereunto set my hand and caused the seal of the Hunt Unriety Frotestion Office to be affixed at the City of Washington, D.C. this eighth day of May, in the year of our Lord two thousand one.

Allast

alunk fort

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service

Secretary

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following state nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Peperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

(iristructions and information	n Collection burden statemer	nt on rever.	se)			,
1. NAME OF OWNER				2. TEMPORARY DESIGNAT EXPERIMENTAL NAME	TION OR	3. VARIETY NAME
Pioneer Hi-Bred Interi	national, Inc.			CALLANDER HOUSE		25R44
4. ADDRESS (Street and No., or R.F.D. No.	o., City, State, and ZIP Code, and Cou	untry)		5. TELEPHONE (include are	a code)	Economic and the second
Research and Product	Dovolonment			(765) 945-7906	<u> </u>	PVPO NUMBER
Wheat Research	. Development					PVPO NOMBER
3850 N. 100 E. Windfall, IN 46076				6. FAX (include area code)		Z00000329
				(765) 945-8313		FILING DATE
7. IF THE OWNER NAMED IS NOT A "PER ORGANIZATION (corporation, partnershi	SON", GIVE FORM OF	8. IF INC	CORPORATED, GIVE E OF INCORPORATION	9. DATE OF INCORPORATION	ON	Λ
Corporation	-,	low		May 1926	i	Hugust 25,200
10. NAME AND ADDRESS OF OWNER RE	PRESENTATIVE(S) TO SERVE IN TH	HIS APPLICAT	TION. (First person listed will re		<u>_</u> _	FILING AND EXAMINATION
Dr. Gregory C. Marshali				555.75 G. Papo.6,		FEES:
Pioneer Hi-Bred Internatio	nal, Inc.					§ 2450°°
3850 N. 100 E.	•				1	R DATE 8-75-00
Windfall, IN 46076						C CERTIFICATION FEE:
•						1, 270000
11. TELEPHONE (Include area code)	12. FAX (Include area code)		42 5 440		L	DATE 7 30 0)
(765) 945-7906			13. E_MAIL	_		KIND (Common Name)
(703) 343-7300	(765) 945-8313		marshallg@phil	bred.com	Whea	ıt
15. GENUS AND SPECIES NAME OF CROP			16. FAMILY NAME (Botanio	cal)	17. IS THE HYBRID	VARIETY A FIRST GENERATION D?
Triticum aestivum	•		gramineae			] YES 🙀 NO
18. CHECK APPROPRIATE BOX FOR EACH reverse)	ATTACHMENT SUBMITTED (Follow	w instructions	on 19. DOES THE C	OWNER SPECIFY THAT SEED C	F THIS VARI	ETY BE SOLD AS A CLASS OF
a. Exhibit A. Origin and Breeding	History of the Variety		l	SEED? See Section 83(a) of YES (If "yes", answer items 20	ine Piant van 5	_
b. Exhibit B. Statement of Distinct				and 21 below)	·	
c. Exhibit C. Objective Description d. Exhibit D. Additional Description	•		20. DOES THE CO	DWNER SPECIFY THAT SEED O TIONS?	F THIS VARI	ETY 8E LIMITED AS TO NUMBER
e. X Exhibit E. Statement of the Bar	sis of the Owner's Ownership		Y	res .		] NO
f. Voucher Sample (2,500 viable verification that tissue culture w repository)	untreated seeds or, for tuber propaga ill be depositied and maintained in an	afed varieties, a approved pu	blic 21. IF "YES" TO	ITEM 20, WHICH CLASSES OF I	PRODUCTIO	N BEYOND BREEDER SEED?
g. M Filing and Examination Fee (\$2	,450), made payable to "Treasurer of	the United	□ F	OUNDATION   REGIST	TERED [	CERTIFIED
States" (Mail to the Plant Variet		io poopuos				
22. HAS THE VARIETY (INCLUDING ANY HAFROM THIS VARIETY BEEN SOLD, DISPOTHER COUNTRIES?	OSED OF, TRANSFERRED, OR US	ED IN THE U.	S. OR PROPERTY	ETY OR ANY COMPONENT OF RIGHT <i>(PLANT BREEDER'S RIG</i>	THE VARIET HT OR PATE	Y PROTECTED BY INTELLECTUAL (NT)?
YES	ОИ 🔣		1	/ES	5	-
IF YES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCU	E OF FIRST SALE, DISPOSITION, TI MSTANCES. (Please use space indi	RANSFER, O	R USE IF YES, PLEA rse.) REFERENCE	SE GIVE COUNTRY, DATE OF F NUMBER. (Please use space in	FILING OR IS dicated on re	SUANCE AND ASSIGNED verse.)
<ol> <li>The owners declare that a viable sample of for a tuber propagated variety a tissue cutt</li> </ol>	f basic seed of the variety will be furn ure will be deposited in a public repo	nished with appository and ma	plication and will be replenishe intained for the duration of the	d upon request in accordance wi	th such regula	ations as may be applicable, or
The undersigned owner(s) is(are) the own and is entitled to protection under the prov	er of this sexually reproduced or tube	r nonanated	ntent variety, and helievate) th		orm, and stat	ele as required in Section 42,
Owner(s) is(are) informed that false repres						
SIGNATURE OF OWNER	100		SIGNATURE OF	OWNER		
Jeggry C. Mar.	shell					
NAME (Please plint or type)			NAME (Please pri	nt or type)		
Gregory C. Marshall		•				
CAPACITY OR TITLE	DATE	,	CAPACITY OR TI	TLE		DATE
<b>Coordinator of Wheat Res</b>	earch 8/20	Y/00	•			•

# 18A. Exhibit A. Origin and Breeding History of Pioneer Wheat Cultivar 25R44.

Pioneer® cultivar '25R44', a soft red winter wheat (Triticum aestivum L.) was developed by Pioneer Hi-Bred Int'l., Inc.. Using a modified pedigree selection breeding method, 25R44 was derived from the cross:

#### WBA211D2\*'2555'/WBA532P1

WBA211D2 was an experimental line derived from the cross: '2553'\*Beau/2548 sib. WBA532P1 was an experimental line derived from the cross 2548 sib./Coker 68-15\*MO W7510 The detailed parentage of 25R44 is:

2553/Beau//2548 sib/3/2555/4/2548 sib//Coker 68-15/MO W7510.

The single cross WBA211D2/2555 was made in the 1988 spring greenhouse cycle and was designated WBJ1251. During the 1988 fall greenhouse cycle the  $F_1$ , WBJ1251, was crossed with WBA532P1and the final cross designated WBK0266. The subsequent breeding history of 25R44 is described below.

<u>Year</u>	<u>Generation</u>	
1988	final cross	
1989	F <sub>1</sub>	F₁ grown in transplant nursery at Windfall IN.
1989-90	F <sub>2</sub>	Bulk populations grown at Windfall and Ft. Branch, IN. Individual spike selections made at Windfall, IN.
1990-91	F <sub>3</sub>	Headrows from $F_2$ selections grown at Windfall, IN. Selected rows cut and threshed individually.
1991-92	F <sub>4</sub>	A 3 row X 3-meter observation plot was planted at Windfall and Ft. Branch, IN. A one meter section of row was harvested from each selected plot and threshed in bulk.
1992-93	.F <sub>5</sub>	A seven row X 3-meter plot was planted at Windfall and Ft. Branch, IN. Fifty spikes were harvested from each selected plot and threshed individually.
1993-94	F <sub>6</sub>	Twenty headrows of each F₅ selection were grown at Windfall and Ft. Branch, IN. Selected rows were cut and threshed individually. This selection was made at Windfall.
1994-95	F <sub>7</sub>	Preliminary yield testing of an $F_5$ selection from an $F_6$ headrow. This selection designated WBK0266B1.
1995-96	F <sub>8</sub>	Advanced yield testing of WBK0266B1. 200 individual spikes were harvested from a small bulk increase.

1996-97	F₅	Elite yield testing of WBK0266B1. 200 headrows planted within a space planted bulk increase. Offtype headrows destroyed prior to maturity. About 100 of the remaining rows individually cut and threshed. Two spikes were taken from each harvested row. Space planted bulk lost due to ice damage.
1997-98	F <sub>10</sub>	Elite yield testing continues of WBK0266B1. Seed from purification headrows planted in individual progeny plots which surround 200 headrows. Offtype plots and headrows destroyed prior to maturity. Equal number of spikes harvested from remaining progeny plots for a total of 1000 spikes. Progeny plots harvested in bulk which constitutes Breeder Seed. Bulk seed, headrow bulks, and spikes turned over to Pioneer's Parent Wheat Seed Group.
1998-99	F <sub>11</sub>	Elite yield testing continues, line now designated YW584. Seed increase continues by Pioneer Parent Wheat Seed Group.
1999-2000	F <sub>12</sub>	Elite yield testing continues, line designation now XW584. Seed increase continues by Pioneer Parent Wheat Seed Group.

Decision to release WBK0266B1 was made in August, 2000 at which time the commercial code, 25R44 was assigned.

The cultivar 25R44 was bred and selected for any and all of the following characteristics in the field environment: disease resistance, plant type, plant height, head type, straw strength, maturity, grain yield, test weight, and milling and baking characteristics.

25R44 has been shown to be uniform and stable since the 7<sup>th</sup> generation, or for the last 5 generations. Variants are limited to slightly taller plants or awnless plants, at a frequency no greater than 1/15,000 in total.

## 18B. Exhibit B. Statement of Distinctness

25R44 is most similar to Pioneer variety 2540 but with the following distinguishing characteristics:

- 1. The coleoptile color of 25R44 is white while that of 2540 is red.
- 2. The spike shape of 25R44 is oblong while that of 2540 is fusiform.
- 3. The glume beak length of 25R44 is medium while that of 2540 is long.
- 4. The reaction of 25R44 to leaf rust (<u>Puccina triticina</u>) is moderately resistant while that of 2540 is susceptible (Table 1).

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To life a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (Wheat)

### OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICANT(S)				FOR OFFICIAL U	SE ONLY						
Pioneer Hi-Bred I	International, Inc.			PVPO NUMBER	AA	^	Λ	^ ^		. ^	_
ADDRESS (Street and No. or RD No	., City, State, and Zip Code)				20	U	U	UU	Ĵ		. (
Research and Pr Wheat Research 3850 N. 100 E.	oduct Development			VARIETY NAME	25R44						
Windfall, IN 460	76			TEMPORARY OR	EXPERIM	ENTA	L DESI	GNATIO	1		
a minimum of 100 plants. C may be used to determine pla	RUCTIONS CAREFULLY: e.g. 0 9 9 or 0 9 ) wh comparative data should be dete ant colors; designate system use or your variety; lack of respons	en number is either 99 or less o rmined from varieties entered i d: Munsell Color Chart	r 9 or less respectively. I in the same trial. Royal I	Data for quantitat	ive plant	chara	cters s	hould b	e ba	sed on	,
1. KIND:											
1	1=Common	2=Durum	3=Club	-	4=Othe	er (S	PEC	IFY)	:		
2. VERNALIZATIO	N:						-				—
2	1=Spring	2=Winter	3=Other (SF	PECIFY) :					-		
3. COLEOPTILE AN	THOCYANIN:		.7/44.4	·				•			_
1	1=Absent	2=Present									
4. JUVENILE PLAN	T GROWTH:			,							_
2	1=Prostrate	2=Semi-erect	3=Erect				•				
5. PLANT COLOR (	boot stage):				W <b>3</b> 1 1 1						
2	1 = Yellow-Green	2 = Green	3 = Blue-Gre	en							
6. FLAG LEAF (boo	t stage):	-									_
1	1 = Erect	2 = Recurved	2	1 = Not T	wisted		2 =	Twist	ed		
7. EAR EMERGENC	E:		<del>*************************************</del>		·						_
2.6	Number of Days Earl	ier Than 2540	- · · · · · · · · · · · · · · · · · · ·							*	
	Number of Days Late	r Than	<u>. , , , , , , , , , , , , , , , , , , ,</u>							_*	

8. ANTHER COLOR:	
1 = Yellow 2 = Purple	
9. PLANT HEIGHT (from soil to top of head, excluding awns):	96 cm
cm Taller Than	*
0 2 cm Shorter Than 2540	*
· · · · · · · · · · · · · · · · · · ·	* Relative to a PVPO-Approved Commercial Variety Grown in the Same Trial
10. STEM:	
A. ANTHOCYANIN	D. INTERNODE (SPECIFY NUMBER)
1 1= Absent 2=Present	1 = Hollow 2=Semi-solid 3=Solid
B. WAXY BLOOM	E. PEDUNCLE
1 1=Absent 2=Present	2 1=Absent 2=Present
C. HAIRINESS (last internode of rachis)	29 cm Length
2=Present	
11. HEAD (at Maturity):	
A. DENSITY	C. CURVATURE
1=Lax 2=Middense 3= Dense	$3 = \text{Erect} \qquad 2 = \text{Inclined} \qquad 3 = \text{Recurved}$
B. SHAPE	D. AWNEDNESS
1 = Tapering 2= Strap 3 = Clavate 4 = Other (SPECIFY):	$ \begin{array}{c cc} \hline 4 & 1 = Awnless & 2 = Apically Awnletted \\ 3 = Awnletted & 4 = Awned \end{array} $
oblong	
12. GLUMES (at Maturity):	
A. COLOR	C. BEAK
2 = Tan	1 = Obtuse 2 = Acute 3 = Acuminate
3 = Other (SPECIFY):	J Acquillate
B. SHOULDER	D. LENGTH
1 = Wanting 2 = Oblique 3 = Rounded 4 = Square 5 = Elevated 6 = Apiculate	1 = Short 2 = Medium (ca. 7mm) (ca. 8mm) 3 = Long (ca. 9mm)

12.	GLUMES	(at Maturity) Continued:		
	E. W	ИТН		
	1	1 = Narrow (ca. 3mm) 2 = Medium (ca. 3.5mm 3 = Wide (ca. 4mm)	n)	
13. 5	SEED:			
	A. SI	HAPE	C. BF	RUSH
	1	1 = Ovate 2 = Oval 3 = Elliptical	1	1=Short 2=Medium 3=Long
			1	1 = Not Collared 2 = Collared
	B. CF	HEEK	D. CF	REASE
	1	1=Rounded 2=Angular	1	<ul> <li>1 = Width 60% or less of Kernel</li> <li>2 = Width 80% or less of Kernel</li> <li>3 = Width Nearly as Wide as Kernel</li> </ul>
			2	1 = Depth 20% or less of Kernel 2 = Depth 35% or less of Kernel 3 = Depth 50% or less of Kernel
	E. Col	or	G. PH	IENOL REACTION (see instructions):
· •	3	1=White 2= Amber 3= Red 4= OTHER (Specify)	4	1 = Ivory 2 = Fawn 3 = Light Brown 4 = Dark Brown 5 = Black
	F. TE	XTURE		
	2	1=Hard 2=Soft		
14. D	ISEASE:	(0=Not Tested; 1=Susceptible; 2=Resist	ant; 3	=Intermediate; 4=Tolerant)
	•	PLEASE INDICATE THE SPECI	FIC RAC	CE OR STRAIN TESTED
	0	Stem Rust (Puccinia graminis f. sp. tritici)	3	Leaf Rust (Puccinia recondita f. sp. tritici) Field races
	0	Stripe Rust (Puccinia striiformis)	0	Loose Smut (Ustilago tritici)
	3	Tan Spot (Pyrenophora tritici-repentis) Field races	0	Flag Smut (Urocystis agropyri)
	0	Halo Spot (Selenophoma donacis)	0	Common Bunt (Tilletia tritici or T. laevis)
·1	3	Septoria nodorum (Glume Blotch) Field races	0	Dwarf Bunt (Tilletia controversa)
	0	Septoria avenae (Speckled Leaf Disease)	0	Karnal Bunt (Tilletia indica)
	3	Septoria tritici (Speckled Leaf Blotch) Field races	3	Powdery Mildew (Erysiphe graminis f. sp. tritici) Field races
	3	Scab (Fusarium spp.)	0	"Snow Molds"

				2011-7-	7				
14.	Diseas	e (Continued) (0=N	Not Tested;	1=Susceptible;	2=R	esistant.	t; 3=Intermediate;	4=Tolerant)	
			PLEASE IN	DICATE THE	SPECIF	IC RAC	CE OR STRAIN TES	TED	
	0	"Black Point" (Kerne	l Smudge)		0		on Root Rot <i>(Fusaria</i> ris spp.)	um, Cochliobolus a	nd
	0	Barley Yellow Dwarf	Virus (BYDV	)	0	Rhizoe	tonia Root Rot (Rhiz	octonia solani)	
	3	Soilborne Mosaic Viru Field races	s (SBMV)		0	Black (	Chaff (Xanthomonas	campestris pv. tran	islucens)
	3	Wheat Yellow (Spindle Field races	e Streak) Mos	aic Virus	0	Bacteri syringa	ial Leaf Blight (Pseud	lomonas syringae j	ov.
	0	Wheat Streak Mosaic	Virus (WSM)	V)		Other	(SPECIFY)		
		Other (SPECIFY)				Other	(SPECIFY)		
		Other (SPECIFY)		Į		Other	(SPECIFY)		
		Other (SPECIFY)				Other (	(SPECIFY)		
15. IN	SECT:	(0=Not Tested;	l=Susceptible	; 2=Resistan	t; 3=	Interme	ediate; 4=Tolerant	)	
			PLEASE S	SPECIFY BIOT	ГҮРЕ (v	vhere ne	eeded)		
	1	Hessian Fly (Mayetiola Biotypes E, L	destructor)			Other (	(SPECIFY)	,	
	0	Stem Sawfly (Cephus s	spp.)	[		Other (	(SPECIFY)		
	0	Cereal Leaf Beetle (Ou	ilema melanoj	(Pa)		Other (	(SPECIFY)		
	0	Russian Aphid (Diura)	phis noxia	[		Other (	(SPECIFY)		
·	0	Greenbug (Schizaphis	graminum)			Other (	(SPECIFY)		
	0	Aphids				Other (	(SPECIFY)		
16. AD	DITION	AL INFORMATION O	N ANY ITEM	LABOVE, OR	CENER	AL CO	MMENTS		<del></del>

## 18D. Exhibit D. Additional Description of the Variety

1. Yield and Agronomic information.

Preliminary yield testing of 25R44 began in the 1994-95 growing season and wide scale testing has been conducted from the 1995-96 growing season to the present. It has shown adaptation to the northern soft wheat regions based on tests conducted in Missouri, Illinois, Indiana, Ohio, and Michigan (Table 1).

2. Information on reaction to major diseases.

Leaf rust – very good resistance to prevalent races in the northern soft wheat region.

Powdery mildew – moderate resistance to the prevalent isolates of powdery mildew present in the soft wheat region.

Soilborne and wheat spindle streak mosaic virus – good resistance to both viruses.

Leaf blights – good tolerance to the complex of most common organisms that cause leaf blights including: Septoria tritici blotch, Stagnospora nodorum blotch, and tan spot.

Fusarium head blight – slightly above average resistance.

3. Information on reaction to major insects.

Hessian fly – susceptible to the predominant biotypes of Hessian fly in the northern soft wheat region. Has screened susceptible to biotypes E, and L in tests conducted by the Dept. of Entomology, Purdue University, in conjunction with the USDA-ARS Insect and Weed Control unit.

4. Information on Milling and Baking Qualities.

25R44 has demonstrated average milling and below average baking qualities (Table 2).

Table 1. Varietal yield performance and agronomic characteristics from Pioneer Elite yield tests during the period 1996-1999.

Variety	Grain Yield	Test Weight	Winter Survival	Plant Height	Heading Date	Powdery Mildew	Leaf Rust	Leaf Blight	SSMV	SBMV
	bu/aç	lb/bu	1-9 <sup>@</sup>	cm	Jan. 1	1-9 <sup>@</sup>				
<b>25R44</b> 2540 25R26	<b>88.6</b> 83.9 85.7	<b>57.7</b> 55.9 54.9	<b>5.5</b> 7.0 8.0	<b>96</b> 98 92	<b>132.2</b> 134.8 135.2	<b>6.5</b> 7.8 6.3	<b>6.6</b> 5.4 8.9	<b>4.8</b> 5.3 4.2	<b>7.0</b> 7.9 7.9	<b>6.5</b> 6.8 6.8
25R57	83.9	55.8	5.5	100	130.9	7.8	6.6	5.0	4.6	3.7
lsd (0.05) # environ # years	2.71 35 3	0.59 30 3	1.28 1 1	2.8 7 3	1.08 6 3	0.8 2 1	1.07 6 3	1.23 3 2	0.73 8 2	1.04 3 2

@' Scale of 1 - 9 where 9 = excellent or resistant, 1 = poor or susceptible.

SBMV data gathered at the University of Illinois SBMV nursery.

Data in above table gathered at Carlisle, IN, Ft. Branch, IN, Howe, IN, Westport, IN, Altamont, IL, Mascoutah, IL, Ridgway, IL, Blissfield, MI, Truxton, MO, Bucyrus, OH, Greenville, OH and Hamler, OH.

Table 2. Soft wheat quality data from the Pioneer Quality Lab, Johnston, IA., 1996-1999.

Variety	Flour Yield	Break Fir Yid	Flour Protein	AWRC	Cookie Diam.	Milling Score	Bake Score
	%	%	%	%	cm	1-9 <sup>@</sup>	1-9 <sup>@</sup>
25R44	70.3	39.0	8.0	58.8	18.6	7	3
2540	69.1	38.1	8.4	55.7	19.1	5	6
25R26	70.7	38.3	8.0	56.0	18.2	6	3
25R57	70.2	38.7	8.0	53.5	19.1	6	7
# observ	6 (12-14)	6 (14-16)	6 (14-16)	6 (14-16	6 (14-16)		

Number of obsestvations - values in parentheses are for check varieties.

Trait abbreviations used in the above table:

AWRC = Alkaline Water Retention Capacity.

Cookie = Cookie diameter in cm.

Milling score = a score which weights flour yield 60% and break flour yield 40%.

(1 = poor, 9 = excellent)

Baking score = a rating which weights cookie spread 60% and AWRC 40%.

(1 = poor, 9 = excellent)

ok, If no, please explain.	25R44  6. FAX (100-100-100-100-100-100-100-100-100-100
PO NUMBER  2 0 0 0  ok. If no. please explain.  (a) please answer one of the following for name of country owner(s) a U.S. based company?	25R44  6. FAX (1000) (765) 945-8313  0 0 3 2 9  YES NO  NO
PO NUMBER  2000  ck. If no., please explain.  (X)  no., please answer one of the following of the following please answer one of the following please answer one of country owner(s) a U.S. based company?	6. FAX (1904)
PO NUMBER  2000  ck. If no., please explain.  (X)  no., please answer one of the following of the following please answer one of the following please answer one of country owner(s) a U.S. based company?	(765) 945-8313 00329 [YES NO
PO NUMBER  2 0 0 0  ck. If no, please explain.  (a)  (b), please answer one of the following of the followin	(765) 945-8313 00329 [YES NO
2000 oc. If no, please explain.	0 0 3 2 9  [YES
ok. If no, please explain.  [X  No, please answer one of the following of	YES NO
no, please answer one of the following o	YES NO
no, please answer one of the following o	lowing:
ner(s) a U.S. national(s)? - f no. give name of country owner(s) a U.S. based company?	
	and the second of the second
lowing criterie: onal, national of a UPOV member o	samery, or mational of a country
phicans must meet one of the above:  Section 41(a)(2) of the Plant Variety  ten union & cleans a valid Call county	Protection Act for definition. *  Protection Act for definition. *  The valid CMS careet remove for scaling are time for removing impactions.
s So demange 10 minutet per response, ind fluoriture of Information, invest ontgin, one, refigien, age, discibility, pul municipalists of programs information (braids, I 250, or call 1-800-245-4346 (visios) er (21	ada kast warming out anima causa
er er	r(s), the company mass be U.S. based, ationals of the U.S. for the same general applicant must meet one of the above of the Section 41(a)(2) of the Plant Variety materials are also desired to administ a decrease to administ per response, and companies of internation.